



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

## THE ACM DIGITAL LIBRARY

[Feedback](#)

kernel, intrusion Found  
Terms used: 633 of  
**kernel intrusion** 248,815

Sort  
results  
by

relevance

Display  
results

expanded form



[Save](#) [Refine](#)

[results](#)  
[to a](#)  
[Binder](#)

these  
results  
with  
[Advanced](#)  
[Search](#)



☐ [Open](#)  
results  
in a new  
window

Try this  
search  
in [The](#)  
[ACM](#)  
[Guide](#)

Results 1 - 20 of 633 Result page: 1 2 3 4 5 6 7 8 9 10 [next](#)

>>

### 1 [Kernel Based Intrusion Detection System](#)

Byung-joo Kim, Il-kon Kim

July I C I S '05: Proceedings of the Fourth Annual ACIS International  
2005 Conference on Computer and Information Science (ICIS'05) - Volume  
00, Volume 00

**Publisher:** IEEE Computer Society

Full text available: [Publisher](#)  
[Site](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 0

Recently applying artificial intelligence, machine learning and data mining techniques to intrusion detection system are increasing. But most of researches are focused on improving the performance of classifier. Selecting important features from input ...


## 2 [A novel approach for a file-system integrity monitor tool of Xen virtual machine](#)



Nguyen Anh Quynh, Yoshiyasu Takefuji

March ASIACCS '07: Proceedings of the 2nd ACM symposium on Information, computer and communications security

**Publisher:** ACM

Full text available:  [pdf\(253.86 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 37, Downloads (12 Months): 315, Citation Count: 0

File-system integrity tools (FIT) are commonly deployed host-based intrusion detections (HIDS) tool to detect unauthorized file-system changes. While FIT are widely used, this kind of HIDS has many drawbacks: the intrusion detection is not done in real-time ...

**Keywords:** Linux, Xen virtual machine, intrusion detection, rootkit

## 3 [Towards a tamper-resistant kernel rootkit detector](#)



Nguyen Anh Quynh, Yoshiyasu Takefuji

March SAC '07: Proceedings of the 2007 ACM symposium on Applied computing 2007

**Publisher:** ACM

Full text available:  [pdf\(177.12 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 28, Downloads (12 Months): 335, Citation Count: 0

A variety of tools and architectures have been developed to detect security violations to Operating System kernels. However, they all have fundamental flaw in the design so that they fail to discover kernel-level attack. Few hardware solutions have been ...

**Keywords:** Linux, Xen virtual machine, intrusion detection, kernel rootkit


## 4 [BlueBoX: A policy-driven, host-based intrusion detection system](#)



Suresh N. Chari, Pau-Chen Cheng

May ACM Transactions on Information and System Security (TISSEC), 2003 Volume 6 Issue 2

**Publisher:** ACM

Full text available:  [pdf\(385.64 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 33, Downloads (12 Months): 226, Citation Count: 2

Detecting attacks against systems has, in practice, largely been delegated to sensors, such as network intrusion detection systems. However, due to the inherent limitations of these systems and the increasing use of encryption in communication, intrusion ...

**Keywords:** Intrusion detection, policy, sandboxing, system call introspection

## 5 [Detecting worm variants using machine learning](#)



Oliver Sharma, Mark Girolami, Joseph Sventek

December 2007 CoNEXT '07: Proceedings of the 2007 ACM CoNEXT conference

**Publisher:** ACM

Full text available: [pdf\(421.68 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

**Bibliometrics:** Downloads (6 Weeks): 28, Downloads (12 Months): 38, Citation Count: 0

Network intrusion detection systems typically detect worms by examining packet or flow logs for known signatures. Not only does this approach mean worms cannot be detected until the signatures are created, but that variants of known worms will remain ...

## 6 [Masquerade detection based on SVM and sequence-based user commands](#)



[profile](#)

Jeongseok Seo, Sungdeok Cha

March ASIACCS '07: Proceedings of the 2nd ACM symposium on Information, computer and communications security

**Publisher:** ACM

Full text available: [pdf\(149.25 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 16, Downloads (12 Months): 143, Citation Count: 0

Masqueraders, despite widespread use of security products such as firewalls and intrusion detection systems, are serious threats to organizations. Although anomaly detection techniques have been considered as an effective approach to complement existing ...

**Keywords:** anomaly detection, masquerade detection, support vector machine (SVM), user commands profile

## 7 [Scanning workstation memory for malicious codes using dedicated coprocessors](#)



Sirish A. Kondi, Yoginder S. Dandass

March ACM-SE 44: Proceedings of the 44th annual Southeast regional conference 2006

**Publisher:** ACM

Full text available: [pdf\(176.91 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 2, Downloads (12 Months): 69, Citation Count: 0


This paper describes the implementation of a coprocessor platform for scanning workstation memory in order to detect signatures of malicious codes. The coprocessor is especially beneficial in clusters of workstations used for high performance computing ...

**Keywords:** FPGA, coprocessor, intrusion detection, signature matching

8 [Argos: an emulator for fingerprinting zero-day attacks for advertised honeypots with automatic signature generation](#)



Georgios Portokalidis, Asia Slowinska, Herbert Bos  
April EuroSys '06: Proceedings of the 1st ACM SIGOPS/EuroSys European  
2006 Conference on Computer Systems 2006  
**Publisher:** ACM

Full text available:  [pdf\(471.94 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),  
[index terms](#)


**Bibliometrics:** Downloads (6 Weeks): 20, Downloads (12 Months): 164, Citation Count: 5

As modern operating systems and software become larger and more complex, they are more likely to contain bugs, which may allow attackers to gain illegitimate access. A fast and reliable mechanism to discern and generate vaccines for such attacks is vital ...

9 [Argos: an emulator for fingerprinting zero-day attacks for advertised honeypots with automatic signature generation](#)



Georgios Portokalidis, Asia Slowinska, Herbert Bos  
October ACM SIGOPS Operating Systems Review, Volume 40 Issue 4  
2006  
**Publisher:** ACM


Full text available:  [pdf\(471.94 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),  
[index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 20, Downloads (12 Months): 164, Citation Count: 5

As modern operating systems and software become larger and more complex, they are more likely to contain bugs, which may allow attackers to gain illegitimate access. A fast and reliable mechanism to discern and generate vaccines for such attacks is vital ...

## 10 [Self-healing mechanisms for kernel system compromises](#)

 Sandra Ring, David Esler, Eric Cole  
October 2004 WOSS '04: Proceedings of the 1st ACM SIGSOFT workshop on Self-managed systems  
**Publisher:** ACM

Full text available:  [pdf\(78.66 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


**Bibliometrics:** Downloads (6 Weeks): 6, Downloads (12 Months): 92, Citation Count: 0

Increasing demands for reliability and dependability clash with the reality of escalating security compromises and vulnerability discoveries. Improvements in attack methodologies such as polymorphic viruses, tampering of source code repositories, and ...

**Keywords:** fault tolerance, kernel, operating systems, self-healing systems

## 11 [Applications of a feather-weight virtual machine](#)

 Yang Yu, Hariharan Kolam, Lap-Chung Lam, Tzi-cker Chiueh  
March 2008 VEE '08: Proceedings of the fourth ACM SIGPLAN/SIGOPS international conference on Virtual execution environments  
**Publisher:** ACM

Full text available:  [pdf\(302.75 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


**Bibliometrics:** Downloads (6 Weeks): 51, Downloads (12 Months): 217, Citation Count: 0

A Feather-weight Virtual Machine (FVM) is an OS-level virtualization technology that enables multiple isolated execution environments to exist on a single Windows kernel. The key design goal of FVM is efficient resource sharing among VMs so as to minimize ...

**Keywords:** binary server, browser exploit, information theft, virtual machine, web crawler

## 12 [Exact multi-pattern string matching on the cell/b.e. processor](#)

 Daniele Paolo Scarpazza, Oreste Villa, Fabrizio Petrini  
May 2008 CF '08: Proceedings of the 2008 conference on Computing frontiers  
**Publisher:** ACM

Full text available:  [pdf\(596.74 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 34, Downloads (12 Months): 34, Citation Count: 0

String searching is the computationally intensive kernel of many security and network applications like search engines, intrusion detection systems, virus scanners and spam filters. The growing size of on-line content and the increasing wire speeds push ...

**Keywords:** cell processor, matching, string

### 13 Catching spam before it arrives: domain specific dynamic blacklists

Duncan Cook, Jacky Hartnett, Kevin Manderson, Joel Scanlan

January 2006 ACSW Frontiers '06: Proceedings of the 2006 Australasian workshops on Grid computing and e-research - Volume 54, Volume 54

**Publisher:** Australian Computer Society, Inc.

Full text available:  [pdf\(160.06 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 26, Downloads (12 Months): 276, Citation Count: 1

The arrival of any piece of unsolicited and unwanted email (spam) into a user's email inbox is a problem. It results in real costs to organisations and possibly an increasing reluctance to use email by some users. Currently most spam prevention techniques ...

### 14 Core Vector Machines: Fast SVM Training on Very Large Data Sets

Ivor W. Tsang, James T. Kwok, Pak-Ming Cheung

December 2005 The Journal of Machine Learning Research, Volume 6


**Publisher:** MIT Press


Additional Information: [full citation](#), [abstract](#), [cited by](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 11

Standard SVM training has  $O(m^3)$  time and  $O(m^2)$  space complexities, where  $m$  is the training set size. It is thus computationally infeasible on very large data sets. By observing that practical SVM ...

### 15 [The taser intrusion recovery system](#)

 Ashvin Goel, Kenneth Po, Kamran Farhadi, Zheng Li, Eyal de Lara  
October 2005 ACM SIGOPS Operating Systems Review, Volume 39 Issue 5  
**Publisher:** ACM

Full text available:  [pdf\(346.32 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 15, Downloads (12 Months): 140, Citation Count: 0

Recovery from intrusions is typically a very time-consuming operation in current systems. At a time when the cost of human resources dominates the cost of computing resources, we argue that next generation systems should be built with automated intrusion ...

**Keywords:** file systems, intrusion analysis, intrusion recovery, snapshots

### 16 [The taser intrusion recovery system](#)

 Ashvin Goel, Kenneth Po, Kamran Farhadi, Zheng Li, Eyal de Lara  
October 2005 SOSP '05: Proceedings of the twentieth ACM symposium on Operating systems principles  
**Publisher:** ACM

Full text available:  [pdf\(346.32 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 15, Downloads (12 Months): 140, Citation Count: 0

Recovery from intrusions is typically a very time-consuming operation in current systems. At a time when the cost of human resources dominates the cost of computing resources, we argue that next generation systems should be built with automated intrusion ...

**Keywords:** file systems, intrusion analysis, intrusion recovery, snapshots

### 17 [Proceedings of the 2005 conference on Genetic and evolutionary computation](#)

 Una-May O'Reilly, Hans-Georg Beyer  
June 2005 proceeding  
**Publisher:** ACM

Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 1

The papers in this two volume proceedings are presented at the 7th Annual Genetic and Evolutionary Computation Conference (GECCO-2005), held in Washington, D.C., June 25-29, 2005. This year is an exceptional one for the GECCO conference series. First, ...

## 18 Proceedings of the 9th annual conference on Genetic and evolutionary



### computation

Hod Lipson  
July 2007

proceeding

**Publisher:** ACM

Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 0

These proceedings contain the papers presented at the *9th Annual Genetic and Evolutionary Computation Conference (GECCO-2007)*, held in London, UK, July 7-11, 2007. For the first time GECCO was held outside the US. This clearly proved ...

## 19 Backtracking intrusions



Samuel T. King, Peter M. Chen  
February  
2005

ACM Transactions on Computer Systems (TOCS), Volume 23 Issue 1

**Publisher:** ACM

Full text available: [pdf\(647.38 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),  
[index terms](#), [review](#)

**Bibliometrics:** Downloads (6 Weeks): 31, Downloads (12 Months): 199, Citation Count: 2

Analyzing intrusions today is an arduous, largely manual task because system administrators lack the information and tools needed to understand easily the sequence of steps that occurred in an attack. The goal of BackTracker is to identify automatically ...

Keywords: Computer forensics, information flow, intrusion analysis

## 20 On incremental file system development



Erez Zadok, Rakesh Iyer, Nikolai Joukov, Gopalan Sivathanu, Charles P. Wright  
May  
2006

ACM Transactions on Storage (TOS), Volume 2 Issue 2

**Publisher:** ACM

Full text available: [pdf\(260.40 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),  
[index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 24, Downloads (12 Months): 225, Citation Count: 3

Developing file systems from scratch is difficult and error prone. Using layered, or stackable, file systems is a powerful technique to incrementally extend the functionality of existing file systems on commodity OSes at runtime. In this article, we ...

Keywords: I/O manager, IRP, Layered file systems, VFS, extensibility, stackable file systems, vnode



---

Results 1 - 20 of 633 Result page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

[>>](#)

The ACM

Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [!\[\]\(e3f8612927870f2e0f9f5989e6dd3064\_img.jpg\) Adobe Acrobat](#) [!\[\]\(a86c7d1c9cb81c81614634a31267440d\_img.jpg\) QuickTime](#) [!\[\]\(ce158fc5e55633398941d0898ae45661\_img.jpg\) Windows Media Player](#) [!\[\]\(6f77f2588732dff582d5f470675e762f\_img.jpg\) Real Player](#)



## Advanced Search

## THE ACM DIGITAL LIBRARY

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.  
 Surround phrases or full names with double quotation marks.

Edit the query directly, or use the form below

kernel audit log



## Words or Phrases

Find  with

all of this text (and)

any of this text (or)

none of this text (not)

## Names

Find  with  
namesusing ☒ all ☐ any ☐ none of the names

## Keywords

Find author's  
keywordsusing ☒ all ☐ any ☐ none of the  
keywords

## Affiliations

Find company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations

## Publication

Find  
publicationusing ☒ all ☐ any ☐ none of the  
namesFind  
publisherusing ☒ any ☐ none of the names

Published since

Published before In publication  
types

- ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine  
☐ Newsletter

## Conference

Find sponsor  
namesusing ☒ all ☐ any ☐ none of the  
namesFind  
locationusing ☒ any ☐ none of the locations

Find year (yyyy)

using ☒ any ☐ none of the years

### Identification codes

Find ISBN/  
ISSN

Find  
DOI

### Computing Classification System (CCS)

Find node

Find subject/  
noun

☐ Look at primary category only

### Required components

Results must have ☐ Full Text ☐ Abstract

☐ Review



The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



## Advanced Search

## THE ACM DIGITAL LIBRARY

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.  
Surround phrases or full names with double quotation marks.

Edit the query directly, or use the form below

kernel audit record



## Words or Phrases

Find  with

all of this text (and)

any of this text (or)

none of this text (not)

## Names

Find  with  
namesusing ☒ all ☐ any ☐ none of the names

## Keywords

Find author's  
keywordsusing ☒ all ☐ any ☐ none of the  
keywords

## Affiliations

Find company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations

## Publication

Find  
publicationusing ☒ all ☐ any ☐ none of the  
namesFind  
publisherusing ☒ any ☐ none of the names

Published since

Published before In publication  
types

- ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine  
☐ Newsletter

## Conference

Find sponsor  
namesusing ☒ all ☐ any ☐ none of the  
namesFind  
locationusing ☒ any ☐ none of the locations

Find year (yyyy)

using ☒ any ☐ none of the years

### Identification codes

Find ISBN/  
ISSN

Find  
DOI

### Computing Classification System (CCS)

Find node

Find subject/  
noun

☐ Look at primary category only

### Required components

Results must have ☐ Full Text ☐ Abstract

☐ Review



The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)